

Supplementary Table 1. Cases of mediastinal mature teratoma with malignant transformation with adenocarcinoma.

	Age (years)	Sex (M/ F)	Clinical signs	Tumor markers	Chemother- apy	Radiother- apy	Histology (immunohistochemistry)	Metastasis	Evolution
Morinaga et al., 1994 [8]	66	M	Hemoptysis, Weight loss	HCG– AFP–	No	no	Teratoma + Adenocarcinoma simultaneously	No	Alive at 30 months after surgery
Jung et al., 2000 [9]	49	M	Chiefly hemoptysis	-	Yes	no	Teratoma+ adenocarcinoma simultaneously	yes	Died 6 months after surgery

Popp et al., 2003 [10]	27	M	Shortness of breath Tachypnoea, Hypoxia Wheezing, Productive cough, Weight loss	HCG+ AFP-	Cisplatin Etoposid e Ifosfami de × 4	no	Teratoma+ adenocarcinoma simultaneously	Pleural nodules Mediastinal and hilar lymphadenopathy	-
Michel and Pratt, 2004 [11]	20	M	Nausea, Fatigue, Orthopnea, dysphagia	HCG- AFP+	Cisplatin Etoposide Bleomycin × 4Cisplatin ifosfamide Paclitaxel × 2 (metastasis)	no	Teratoma + adenocarcinoma + chondrosarcoma+ sarcoma simultaneously	Lung and peritoneal metastases 6 weeks after surgery	Died 9 months after initial diagnosis

Seki et al., 2004 [12]	34	M	Asymptomatic	-	No	No	Teratoma+ adenocarcinoma	No	-
Chang et al., 2006 [13]	35	M	Low back pain	HCG- AFP-	No	no	Teratoma + Gastrointestinal adenocarcinoma concomitantly CK7-/CK20+	no	Alive at 2 years after surgery
Duran et al., 2007 [14]	29	M	Asymptomatic	HCG + AFP +	Cisplatin Etoposide Bleomycin × 4 Cisplatin ifosfamide Vinblastine × 2 (metastasis)	no	Teratoma+ gastro-intestinal adenocarcinoma + sarcoma simultaneously	Pulmonary, eyelid and liver metastases 2 months later (sarcoma)	Alive at 4 months after metastasis diagnosis

Reference	First name of author	Last name of author	Year of publication	Age at diagnosis	Sex	Initial treatment	Treatment at transformation	Type of transformation	Died		
									months	years	
[15]	El Mesbah et al., 2007	-	-	-	-	Cisplatin Bleomycin 5- fluorouracil Oxaliplatin Irinotecan Methotrexat e	yes	Teratoma + adenocarcinoma 14 years after	no	after months a 1 i g n a n t transformation	6 m o n t h s m a 1 i g n a n t

Chen et al., 2008 [16]	59	F	Chest distress Dyspnea	HCG-AFP +	Yes	no	Teratoma+ adenocarcinoma concomitantly	Pleural metastasis	Died 2 weeks after starting chemotherapy (traffic accident)
Saitou and Niitsuma, 2008 [17]	32	F	Anterior chest pain	-	No	no	Teratoma+ adenocarcinoma concomitantly	-	-
Sakurai et al., 2008 [18]	57	M	Asymptomatic	HCG-AFP-	Paclitaxel Carboplatin	no	Teratoma + adenocarcinoma 6 months after	no	Alive at 20 Months After surgery
Shimizu et al, 2008 [19]	43	F	Exertional	HCG-	No	no	Teratoma + adenocarcinoma	no	Alive at 6 months

Khurana et al., 2011 [20]	21	M	Asymptomatic	HCG– AFP–	No	no	Teratoma+ adenocarcinoma colonic type c o n c o m i t a n t ly	no	Alive at 6 months after surgery
Muramatsu et al., 2011 [21]	65	F	Asymptomatic	-	No	no	Teratoma+ adenocarcinoma simultaneously	no	Alive

Kim et al., 2012 [22]	44	M	Asymptomatic	HCG– AFP–	No	36 Gy in 6 fractions	Teratoma + adenocarcinoma + sarcoma simultaneously CK7+ CK20–, Cdx2–	Pleural metastasis at 10 months after surgery: adenocarcinoma	Alive at 10 months after surgery
Dechaphunkul et al., 2012 [23]	47	M	Chest tightness, Shortness of breath	HCG– AFP +	Irinotecan 5-fluorouracil Leucovorin × 7	no	Teratoma+ colonic type adenocarcinoma simultaneously CK7– CK20+ Cdx2+	Supraclavicular lymph node	Died 9 months

Paliwal et al., 2013 [24]	32	F	Dry cough Chest	-	no	no	Teratoma concomitantly	+	ad en oc ar ci no m a	Alive at 2 months after surgery
--	----	---	-----------------	---	----	----	---------------------------	---	--	---------------------------------------

Abid et al., 2013 [25]	46	M	Atypical anterior chest pain	HCG– AFP–	Cisplatin Etoposide Bleomycin × 3	no	Teratoma+ concomitantly CK7+ CK20 +	a d e n o c ar ci n o m a	Hilar and mediastinal lymph nodes	Died 1 year after diagnosis

Habougit et al., 2015 [26]	76	M	Deep vein thrombosis of left arm	HCG– AFP–	Oxaliplatin 5-fluorouracil × 3 Carboplat in Paclitaxel	no	Teratoma+ adenocarcinoma concomitantly	Subcutaneous and lymph nodes: teratoma+adenocarcinoma	Alive at 1 year
---	----	---	----------------------------------	--------------	---	----	--	--	-----------------

Lin et al., 2016 [27]	25	M	Heaviness of chest	-	Docetaxel × 2 Cisplatin Etoposide Bleomyci ne × 1 Irinotecan 5- fluorourac il × 8	56 Gy in 28 fractio ns	Teratoma+ concomitantly CK7+ CK20+, Cdx2+	a d e n o c ar ci n o m a	Right hilar node, mesenteric and peritoneal metastases 2 months after radiotherapy	Alive at 6 months after FOLFIRI

Le Fèvre et al, 2017 [28]	21	M	Left leg pain, chest pain	HCG + AFP +	Cisplatin Etoposide Ifosfamid e × 6 Oxaliplatin 5- fluorouracil Cetuximab × 4	In sacrum post-surgery: 54 Gy in 30 fractions	Teratoma in mediastinal mass 10 years after teratoma+ adenocarcinoma in bone metastasis CK7- ; CK20+; Cdx2+	Pulmonary Bone Ten years after adenocarcinoma	Alive at 12 months after transformation diagnosis
Murakami et al, 2020 [29]	54	M	Chest pain and dyspnea	HCG- AFP-	-	-	Teratoma+ subcentimeter adenocarcinoma CDX2+	no	Alive at 8 months after transformation diagnosis
Present case report	33	F	chest pain and dyspnea	HCG- AFP-	Cisplatine Etoposide x6	-	Teratoma+ adenocarcinoma concomitantly CK7+; CK20-	Pulmonary, diaphragma,, pleura, subcutaneous	Alive at 6 months after surgery

