

- Cajthaml J, 2013. Polynomial georeferencing method for old map series. Proc. 13th SGEM GeoConference on Informatics, Geoinformatics and Remote Sensing 1:859-866.
- Christensen N, Wood AW, Voisin N, Lettenmaier DP, Palmer RN, 2004. The effects of climate change on the hydrology and water resources of the Colorado River basin. *Climatic Change* 62:337-363.
- Dudgeon D, 1995. River regulation in southern China: ecological implications, conservation and environmental management. *Regul. River.* 11:35-54.
- Farkas-Iványi, K, Gábor G, 2013. Historical changes of habitat dynamics in the Szigetköz Floodplain of the Danube River. Accessed on 20 September 2014. Available from: http://is.muni.cz/repo/1093491/FBFW2013_final.pdf
- Farkas-Iványi K, Guti G, 2014. The effect of hydromorphological changes on habitat composition of the Szigetköz floodplain. *Acta. Zool. Bulgar.* 66: (s.7):117-121.
- Farkas-Iványi, K, Trájer, A, 2015. The Influence of the river regulations on the aquatic habitats in River Danube, at the Bodak Branch-System, Hungary and Slovakia. *Carpath. J. Earth Env.* 10:235-245.
- Fok É, 2007. The importance of dirofilariosis in carnivores and humans in Hungary, past and present. *Mappe Parassitologiche* 8:181-188.
- Fürst H, 2006. The Hungarian-Slovakian conflict over the Gabčíkovo-Nagymaros Dams: an analysis. Accessed on: August 2014. Available from: <http://www.columbia.edu/cu/ece/research/intermarium/vol6no2/furst.pdf>
- Githeko, AK, Lindsay, SW, Confalonieri UE, Patz JA, 2000. GCC and vector-borne diseases: a regional analysis. *Bull. World Health Organ.* 78: 1136-1147.
- Guti G, Potyó I, Gaebale T, Weiperth A, 2010. Ecological benchmarking of the aquatic habitat changes in the Szigetköz floodplain of the Danube. Proceedings 38th IAD Conf. Dresden, Hungary. Available from: http://www.academia.edu/download/30341757/Guti_et.al.Szigetkoz_floodplain_38.IA.D.201.pdf
- Hohensinner S, Habersack H, Jungwirth M, Zauner G, 2004. Reconstruction of the characteristics of a natural alluvial river-floodplain system and hydromorphological changes following human modifications of the Danube River (1812-1991). *River Res. Appl.* 20:25-41.
- Hohensinner S, Haidvogel G, Jungwirth M, Muhar S, Preis S, Schmutz S, 2005. Historical analysis of habitat turnover and age distributions as a reference for restoration of Austrian Danube floodplains. *WIT Trans. Ecol. Envir.* 3:489-502.
- Hohensinner S, Jungwirth M, Muhar S, Schmutz S, 2011. Spatio-temporal habitat dynamics in a changing Danube River landscape 1812-2006. *River Res. Appl.* 27:939-955.
- Jetten TH, Takken W, 1994. Anophelism without malaria in Europe. A review of the ecology and distribution of the genus *Anopheles* in Europe. Wageningen Agricultural University, Wageningen: 69 pp.
- Kimbro DL, Grosholz ED, 2006. Disturbance influences oyster community richness and evenness, but not diversity. *Ecology* 87 2378-2388.
- Klobučar A, Merdic E, Benic N, Baklaic ŽL, Krčmar SA, 2006. First record of *Aedes albopictus* in Croatia. *J. Am. Mosquito Contr.* 22:147-148.
- Kovats RS, Campbell-Lendrum DH, Mc Michel AJ, Woodward AH, Cox JS, 2001. Early effects of GCC: do they include changes in vector-borne disease? *Philos. T. R. Soc. B* 356:1057-1068.
- Krisztalovics K, Ferenczi E, Molnar ZS, Csohan A, Ban E, Zoldi V, Kaszas K 2008. West Nile Virus infections in Hungary, August-September 2008. *Euro Surveill.* 13:19030.
- Lőrincz F, 1937. Malaria in Hungary. *Riv. Malariol.* 16:465-479.
- Martens P, Kovats RS, Nijhof S, De Vries P, Livermore MTJ, Bradley DJ, Cox J, Mc Michael AJ, 1999. Climate change and future populations at risk of malaria. *Global Environ. Chang.* 9:S89-S107.
- Mushinzimana E, Munga S, Mwangi N, Li L, Feng CC, Bian L, Kitron U, Schmidt C, Fedonko Y, Zhou G, Githeko AK, Yan G, 2006. Landscape determinants and remote sensing of anopheline mosquito larval habitats in the western Kenya highlands. *Malariol.* 5:13.
- Nilsson C, Reidy SA, Dynesius M, Revenga C, 2005. Fragmentation and flow regulation of the world's large river systems. *Science* 308:405-408.
- Overgaard HJ, Ekbom B, Suwonkerd W, Takagi M, 2003. Effect of landscape structure on anopheline mosquito density and diversity in northern Thailand: implications for malaria transmission and control. *Landscape Ecol.* 18:605-619.
- Scholte EJ, Schaffner F, 2007. Waiting for the tiger: establishment and spread of the *Aedes albopictus* mosquito in Europe, p. 241-260. In: W. Takken and B.G.J. Knols (eds.), *Emerging pests and vector-borne diseases in Europe*. Wageningen Academic Publishers.
- Szénási Z, Vass A, Melles M, Kucsera I, Danka J, Csohán A, Krisztalovics K, 2003. Malaria in Hungary: origin, current state and principles of prevention. *Orvosi hetilap* 144:1011-1018.
- Tóth S, 2004. [Magyarország csípőszúnyog-faunája (Diptera: Culicidae).6]. [Book in Hungarian]. Somogy Megyei Múzeumok Igazgatósága, Kaposvár: 327 pp.
- Tóry K, 1952. [A Duna és szabályozása]. [Book in Hungarian] Akadémiai Kiadó, Budapest: 454 pp.
- Trájer AJ, Bede-Fazekas Á, Bobvos J, Páldy A, 2014. Seasonality and geographical occurrence of West Nile fever and distribution of Asian tiger mosquito. *Quat. J. Hung. Met. Serv.* 118:19-40.
- Vaňhara J, 1991. A floodplain forest mosquito community after manmade moisture changes (Culicidae, Diptera). *Regul. River* 6:341-348.
- Zittra C, Kocziha Z, Pinyei S, Harl J, Kieser K, Laciny A, Eigner B, Silbermayr K, Duscher GG, Fok É, Fuehrer HP, 2015. Screening blood-fed mosquitoes for the diagnosis of filarioid helminths and avian malaria. *Parasite. Vectors* 8:1-6.